

mm

轴径 Shaft Dia.	座孔 Housing Bore H7	外径公差 O.D. Tolerance D	压装后 内孔公差 I.D. after fixed d	配合间隙	壁厚 Wall Thickness	L ⁰ _{-0.40} (d≤Φ28 L-0.3) (d>Φ30 L-0.4)									
						20	25	30	40	50	60	70	80	100	
45 ^{-0.025} _{-0.050}	50 ^{+0.025}	50 ^{+0.085} _{+0.045}	44.990 45.105	0.155 0.015		4520	4525	4530	4540	4550					
50 ^{-0.030} _{-0.060}	55 ^{+0.030}	55 ^{+0.100} _{+0.055}	49.990 50.110	0.160 0.015		5020		5030	5040	5050	5060				
55 ^{-0.030} _{-0.060}	60 ^{+0.030}	60 ^{+0.100} _{+0.055}	54.990 55.110					5530	5540	5550	5560				
60 ^{-0.030} _{-0.060}	65 ^{+0.030}	65 ^{+0.100} _{+0.055}	59.990 60.110		2.505 2.460			6030	6040	6050	6060	6070			
65 ^{-0.030} _{-0.060}	70 ^{+0.030}	70 ^{+0.100} _{+0.055}	64.990 65.110	0.170 0.020				6530	6540	6550	6560	6570			
70 ^{-0.030} _{-0.060}	75 ^{+0.030}	75 ^{+0.100} _{+0.055}	69.990 70.110						7040	7050	7060	7070	7080		
75 ^{-0.030} _{-0.060}	80 ^{+0.030}	80 ^{+0.100} _{+0.055}	74.990 75.110					7530	7540	7550	7560	7570	7580		
80 ^{-0.035}	85 ^{+0.035}	85 ^{+0.120} _{+0.070}	80.020 80.155	0.201 0.020					8040	8050	8060	8070	8080	80100	
85 ^{-0.035}	90 ^{+0.035}	90 ^{+0.120} _{+0.070}	85.020 85.155						8540				8580	85100	
90 ^{-0.035}	95 ^{+0.035}	95 ^{+0.120} _{+0.070}	90.020 90.155						9040	9050	9060		9080	90100	
95 ^{-0.035}	100 ^{+0.035}	100 ^{+0.120} _{+0.070}	95.020 95.155	0.209 0.020	2.490 2.440					9550	9560		9580	95100	
100 ^{-0.035}	105 ^{+0.035}	105 ^{+0.120} _{+0.070}	100.020 100.155							10050	10060		10080		
105 ^{-0.035}	110 ^{+0.035}	110 ^{+0.120} _{+0.070}	105.020 105.155								10560		10580		
110 ^{-0.035}	115 ^{+0.035}	115 ^{+0.120} _{+0.070}	110.020 110.155								11060		11080		
120 ^{-0.04}	125 ^{+0.035}	125 ^{+0.120} _{+0.070}	120.070 120.210	0.264 0.070							12060		12080		
125 ^{-0.04}	130 ^{+0.04}	130 ^{+0.170} _{+0.100}	125.070 125.210								12560		12580	125100	
130 ^{-0.04}	135 ^{+0.04}	135 ^{+0.170} _{+0.100}	130.070 130.210								13060			130100	
140 ^{-0.04}	145 ^{+0.04}	145 ^{+0.170} _{+0.100}	140.070 140.210	0.273 0.070							14060		14080	140100	
150 ^{-0.04}	155 ^{+0.04}	155 ^{+0.170} _{+0.100}	150.070 150.210								15050	15060		15080	150100
160 ^{-0.04}	165 ^{+0.04}	165 ^{+0.170} _{+0.100}	160.070 160.210								16060		16080	160100	
180 ^{-0.046}	185 ^{+0.046}	185 ^{+0.210} _{+0.130}	180.070 180.216	0.279 0.070	2.465 2.415								18080	180100	
190 ^{-0.046}	195 ^{+0.046}	195 ^{+0.210} _{+0.130}	190.070 190.216										19080	190100	
200 ^{-0.046}	205 ^{+0.046}	205 ^{+0.210} _{+0.130}	200.070 200.216	0.288 0.070							20060		20080	200100	
220 ^{-0.046}	225 ^{+0.046}	225 ^{+0.210} _{+0.130}	220.070 220.216										22080	220100	
250 ^{-0.052}	255 ^{+0.052}	255 ^{+0.260} _{+0.170}	250.070 250.222	0.294 0.070									25080	250100	
260 ^{-0.052}	265 ^{+0.052}	265 ^{+0.260} _{+0.170}	260.070 260.222										26080	260100	
280 ^{-0.052}	285 ^{+0.052}	285 ^{+0.260} _{+0.170}	280.070 280.222	0.303 0.070									28080	280100	
300 ^{-0.052}	305 ^{+0.052}	305 ^{+0.260} _{+0.170}	300.070 300.222										30080	300100	